

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Ätzmittel CT nach Kalling I
Product code : AetzM046

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Sample preparation for metallography

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cloeren Technology GmbH
In Petersholz 44
DE- 41844 Wegberg
Germany
T 02432/8902510 - F 02432/8902519
info@cloeren.de - www.cloeren.de

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|--|-------------------|---------|
| Germany | Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität | Robert-Koch Straße 40 37075 Göttingen | +49 (0) 551 19240 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause respiratory irritation. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | GHS02 | GHS05 | GHS07 |
|--------------------------------|---|-------|-------|
| Signal word (CLP) | : Danger | | |
| Hazard statements (CLP) | : H226 - Flammable liquid and vapour. H314 - Causes severe skin burns and eye damage. H335 - May cause respiratory irritation. H412 - Harmful to aquatic life with long lasting effects. | | |
| Precautionary statements (CLP) | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P321 - Specific treatment (see supplemental first aid instruction on this label). P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. | | |

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Other information : Hazardous components for labeling:
Hydrochloric acid.
Kupfer(II)-chlorid 2-Hydrat.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Mixture of the substances listed below with harmless additives

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------|--|--------|--|
| Ethanol | CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 2119457610-43 | > 30 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 |
| Hydrochloric acid | CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-00-2 | 5 – 15 | Press. Gas Acute Tox. 3 (Inhalation), H331 Skin Corr. 1A, H314 |
| Copper (II) chloride dihydrate | CAS-No.: 7447-39-4 EC-No.: 231-210-2 | 1 – 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion | : Rinse mouth. Do not induce vomiting. Call a physician immediately. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|-------------------------------------|
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Serious damage to eyes. |
| Symptoms/effects after ingestion | : Burns. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Fire hazard | : Flammable liquid and vapour. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. |
| Hygiene measures | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|--|
| Technical measures | : Ground/bond container and receiving equipment. |
| Storage conditions | : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. |
| Storage area | : storage class 8 A Combustible corrosive substances. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Ethanol (64-17-5) | |
|---|-----------------|
| Germany - Occupational Exposure Limits (TRGS 900) | |
| Local name | Ethanol |
| AGW (OEL TWA) [1] | 380 mg/m³ |
| AGW (OEL TWA) [2] | 200 ppm |
| Peak exposure limitation factor | 2(II) |
| Remark | DFG;Y |
| Regulatory reference | TRGS900 |
| Hydrochloric acid (7647-01-0) | |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| Local name | Hydrogenchlorid |
| AGW (OEL TWA) [1] | 3 mg/m³ |
| AGW (OEL TWA) [2] | 2 ppm |
| Peak exposure limitation factor | 2(I) |
| Remark | DFG;EU;Y |
| Regulatory reference | TRGS900 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

The glove material must be impermeable and resistant to the product / the substance / the be preparation.

Selection of the glove material taking into account the penetration times, permeation rates and the Degradation. Recommendation:

uvex u-chem 3000 (DIN EN 374)

Material: nitrile rubber

Material thickness: 0.5 mm

Value for the permeation:> 120 min (level 4)

Recommendation:

uvex u-fit strong N2000 (DIN EN 374)

Material: nitrile rubber

Material thickness: 0.2 mm

Value for the permeation:> 30 min (level 2)

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure adequate ventilation or use a fume cupboard. No respiratory protection is required with normal use.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------|
| Physical state | : Liquid |
| Colour | : Green. |
| Odour | : alcohol-like. |
| Odour threshold | : No data available |
| pH | : 0 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|--------------------------|
| Freezing point | : No data available |
| Boiling point | : 78 °C Ethanol |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 1.14 g/cm ³ |
| Solubility | : Miscible with water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Ethanol (64-17-5)

| | |
|---------------|------------------------|
| LD50 oral rat | 15010 mg/kg bodyweight |
| LD50 oral | 8300 mg/kg bodyweight |

Copper (II) chloride dihydrate (7447-39-4)

| | |
|---------------|----------------------------------|
| LD50 oral rat | 584 mg/kg bodyweight Animal: rat |
|---------------|----------------------------------|

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Causes severe skin burns.
pH: 0

Ethanol (64-17-5)

pH ≈ 7

Hydrochloric acid (7647-01-0)

pH < 1

Serious eye damage/irritation : Causes serious eye damage.
pH: 0

Ethanol (64-17-5)

pH ≈ 7

Hydrochloric acid (7647-01-0)

pH < 1

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : May cause respiratory irritation.
STOT-repeated exposure : Not classified

Ethanol (64-17-5)

NOAEL (subchronic, oral, animal/male, 90 days) < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

NOAEL (subchronic, oral, animal/female, 90 days) > 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified

Ethanol (64-17-5)

Viscosity, kinematic 1.506 mm²/s

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term : Not classified
(acute)
Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.
(chronic)
Not rapidly degradable

Ethanol (64-17-5)

LC50 - Fish [1] 14.2 g/l Test organisms (species): Pimephales promelas

NOEC (chronic) 9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|--|---|
| 14.1. UN number | | | | |
| UN 2920 | UN 2920 | UN 2920 | UN 2920 | UN 2920 |
| 14.2. UN proper shipping name | | | | |
| CORROSIVE LIQUID, FLAMMABLE, N.O.S. | CORROSIVE LIQUID, FLAMMABLE, N.O.S. | Corrosive liquid, flammable, n.o.s. | CORROSIVE LIQUID, FLAMMABLE, N.O.S. | CORROSIVE LIQUID, FLAMMABLE, N.O.S. |
| Transport document description | | | | |
| UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (), 8 (3), II, (D/E) | UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S., 8 (3), II | UN 2920 Corrosive liquid, flammable, n.o.s., 8 (3), II | UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S., 8 (3), II | UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S., 8 (3), II |
| 14.3. Transport hazard class(es) | | | | |
| 8 (3) | 8 (3) | 8 (3) | 8 (3) | 8 (3) |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| II | II | II | II | II |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : CF1
Special provisions (ADR) : 274
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions (ADR) : TP2, TP27


Tank code (ADR) : L4BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2

Hazard identification number (Kemler No.) : 83

Orange plates : 

Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-C

Stowage category (IMDG) : C

Stowage and handling (IMDG) : SW1, SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840

PCA limited quantity max net quantity (IATA) : 0.5L

PCA packing instructions (IATA) : 851

PCA max net quantity (IATA) : 1L

CAO packing instructions (IATA) : 855

CAO max net quantity (IATA) : 30L

ERG code (IATA) : 8F

Inland waterway transport

Classification code (ADN) : CF1

Special provisions (ADN) : 274

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : CF1

Special provisions (RID) : 274

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions (RID) : T11

Portable tank and bulk container special provisions (RID) : TP2, TP27

Tank codes for RID tanks (RID) : L4BN

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE6

Hazard identification number (RID) : 83

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

| | |
|--|---|
| Employment restrictions | : Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). |
| Water hazard class (WGK) | : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). |
| Storage class (LGK, TRGS 510) | : LGK 8A - Combustible corrosive substances. |
| Hazardous Incident Ordinance (12. BImSchV) | : Is not subject of the Hazardous Incident Ordinance (12. BImSchV) |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|-----|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:

| | |
|---------|--|
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

Full text of H- and EUH-statements:

| | |
|---------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |

Ätzmittel CT nach Kalling I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:

| | |
|---------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Press. Gas | Gases under pressure |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.